



Refrigeration Systems Hermetic Series

It's not just preservation.
It's the ultimate in preservation.



Blue Star, India's leading refrigeration company, offers a complete range of evaporating and condensing units. These units are designed to deliver superior cooling for food preservation and are equipped to deliver temperatures for various applications.

The balanced selection of the evaporator and condensing units assures delivery of capacity. The matching controllers with refrigeration units support each installation and enable the controlling and monitoring of temperature. Each Blue Star installation comes with a weather-proof power panel that allows for easy, speedy, safe and long-lasting power connection. So when it comes to cold storage, trust in the experts for reliable, efficient and trouble-free refrigeration.





Evaporating Units


Blue Star's evaporators are compact and sleek. The evaporator is housed within the cold storage and occupies minimum space. This allows you to utilise the maximum volume of cold storage.




Features:


 Stainless steel body (SS304) for enhanced durability and strength


 Improved air throw for uniform air distribution

 Excellent corrosion resistance

 External rotor driven fans have low noise levels and conform to IP45 standards

 Inner grooved copper tubes for superior heat transfer

 Removable side panels for easy service and minimum downtime

 6 FPI coil to enable air-defrosting



Condensing Units

Blue Star's condensing units are characterised by high-efficiency heat transfer and low power consumption.



Features:



Energy-efficient scroll and reciprocating compressors



Pre-charged unit with service valves



Powder coated body makes these units UV and corrosion-resistant



Safety and control devices for better system protection



Inner grooved copper tubes and slit aluminium fins for superior heat transfer



Weather-proof polyester powder coated canopy



Filter drier for moisture and dirt protection



Thermally protected and permanently lubricated fan motors



Smaller footprint for ease of handling and installation



Controller



Blue Star's controller is a two compressor controller with separate set points and differentials for each compressor.

Features:

- Specifically designed for refrigeration applications
- Controls compressor cut off and temperature
- HACCP provision (available in model 52H)
- BMS compatibility (available in model 52H)

Power Panel

Blue Star's Refrigeration Units come with ready-to-use power panels that make electrical connections simple, fast and long-lasting.

Features:

- Embedded switchgear in the Positive Temperature Condensing Unit
- Power Panel with necessary accessories and defrost controls is available for Negative Temperature Units



Technical Specifications

High Temperature Air-cooled Refrigeration System with R404A Refrigerant

Blue Star Indoor Unit		Cooling Capacities @ +4°C Room Temperature & 35°C Ambient Temperature								
Description / Model	Units	RUAHI-0614	RUAHI-1014	RUAHI-1514	RUAHI-2014	RUAHI-3014-N	RUAHI-4014-N	RUAHI-6024-N	RUAHI-8024-N	RUAHI-8014-N
Nominal Capacity	Btu/hr	6,000	10,000	15,000	20,000	30,000	40,000	60,000	80,000	80,000
Power Supply	V/Ph/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50	415/3/50	415/3/50	415/3/50
Airflow	CFM	800	1,600	2,400	3,200	4,500	5,200	12,000	11,700	11,700
Air Throw	Feet	12	12	12	12	25	40	45	45	45
No. of Circuits	Nos.	1	1	1	1	1	1	2	2	1
Overall Dimensions (W x D x H)	mm	864 x 480 x 450	1245 x 480 x 450	1780 x 480 x 450	2210 x 480 x 450	1710 x 645 x 720	1710 x 645 x 720	2140 x 840 x 925	2140 x 840 x 925	2140 x 840 x 925
Dry Weight	kgs	18	25	35	45	72	82	140	150	150

Blue Star Outdoor Unit		Cooling Capacities @ +4°C Room Temperature & 35°C Ambient Temperature								
Description / Model	Units	RUAHOP-0614	RUAHOP-1014	RUAHOP-1514	RUAHOS-2014	RUAHOS-3014	RUAHOS-4014	RUAHOS-3014	RUAHOS-4014	RUAHOS-8014
Compressor Type	-	Hermetic Recip	Hermetic Recip	Hermetic Recip	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll
Power Supply	V/Ph/Hz	230/1/50	230/1/50	230/1/50	415/3/50	415/3/50	415/3/50	415/3/50	415/3/50	415/3/50
Comp. Quantity	Nos.	1	1	1	1	1	1	1	1	1
No. of such Chassis	Nos.	1	1	1	1	1	1	2	2	1
Each Chassis Overall Dimensions (W x D x H)	mm	940 x 350 x 560	940 x 350 x 560	940 x 350 x 560	1100 x 444 x 658	1100 x 444 x 1259	1100 x 444 x 1259	1100 x 444 x 1259	1100 x 444 x 1259	1454 x 632 x 947
Each Chassis Dry Weight	kgs	50	51	80	105	126	130	126	130	185
Each Chassis Refrigerant Precharged Qty	kgs	1.2	1.6	2.0	2.5	3.5	4.0	3.5	4.0	Charged During Installation

*Product under development

Low Temperature Air-cooled Refrigeration System with R404A Refrigerant

Blue Star Indoor Unit		Cooling Capacities @ -23°C Room Temperature & 35°C Ambient Temperature			
Description / Model	Units	RUALI-0614	RUALI-0914	RUALI-1214	RUALI-1814
Nominal Capacity**	Btu/hr	6,000	9,000	12,000	18,000
Power Supply	V/Ph/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Airflow	CFM	1600	2400	3200	5500
Air Throw	feet	12	12	12	25
No. of Circuits	Nos.	1	1	1	1
Overall Dimensions (W x D x H)	mm	1245 x 375 x 450	1780 x 375 x 450	2210 x 375 x 450	2085 x 660 x 670
Dry Weight	kgs	25	35	45	120

Outdoor Unit		OPTION - 1			
Description / Model	Units	ZXL020E	ZXL025E	ZXL035E	ZXL050E
Compressor Type	-	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll
Power Supply	V/Ph/Hz	415/3/50	415/3/50	415/3/50	415/3/50
Quantity	Nos.	1	1	1	1
Overall Dimensions (W x D x H)	mm	1029 x 424 x 840	1029 x 424 x 840	1029 x 424 x 840	1029 x 424 x 1242
Dry Weight	kgs	79	81	93	106
Refrigerant Precharged Qty	kgs	Nitrogen Charge	Nitrogen Charge	Nitrogen Charge	Nitrogen Charge

Outdoor Unit		OPTION - 2			
Description / Model	Units	LGZ028	LGZ040	LGZ050	LGZ088
Compressor Type	-	Hermetic Recip	Hermetic Recip	Hermetic Recip	Hermetic Recip
Power Supply	V/Ph/Hz	415/3/50	415/3/50	415/3/50	415/3/50
Quantity	Nos.	1	1	1	1
Overall Dimensions (W x D x H)	mm	800 x 600 x 442	800 x 600 x 442	1000 x 700 x 555	1200 x 800 x 671
Dry Weight	kgs	62	69	98	144
Refrigerant Precharged Qty	kgs	Nitrogen Charge	Nitrogen Charge	Nitrogen Charge	Nitrogen Charge

Technical Specifications

High Temperature Air-cooled Refrigeration System with R22 Refrigerant

Blue Star Indoor Unit		Cooling Capacities @ +4°C Room Temperature & 35°C Ambient Temperature								
Description / Model	Units	RUAHI-0612	RUAHI-1012	RUAHI-1512	RUAHI-2012	RUAHI-3012-N	RUAHI-4012-N	RUAHI-6022-N	RUAHI-8022-N	RUAHI-8012-N
Nominal Capacity	Btu/hr	6,000	10,000	15,000	20,000	30,000	40,000	60,000	80,000	80,000
Power Supply	V/Ph/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50	415/3/50	415/3/50	415/3/50
Airflow	CFM	800	1,600	2,400	3,200	4,500	5,200	12,000	11,700	11,700
Air Throw	Feet	12	12	12	12	25	40	45	45	45
No. of Circuits	Nos.	1	1	1	1	1	1	2	2	1
Overall Dimensions (W x D x H)	mm	864 x 480 x 450	1245 x 480 x 450	1780 x 480 x 450	2210 x 480 x 450	1710 x 645 x 720	1710 x 645 x 720	2140 x 840 x 925	2140 x 840 x 925	2140 x 840 x 925
Dry Weight	kgs	18	25	35	45	72	82	140	150	150

Blue Star Outdoor Unit										
Description / Model	Units	RUAHOP-0612	RUAHOP-1012	RUAHOP-1512	RUAHOP-2012	RUAHOS-3012	RUAHOS-4012	RUAHOS-6022	RUAHOS-8022	RUAHOS-8012
Compressor Type	-	Hermetic Recip	Hermetic Recip	Hermetic Recip	Hermetic Recip	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll	Hermetic Scroll
Power Supply	V/Ph/Hz	230/1/50	230/1/50	230/1/50	415/3/50	415/3/50	415/3/50	415/3/50	415/3/50	415/3/50
Comp. Quantity	Nos.	1	1	1	1	1	1	1	1	1
No. of such Chassis	Nos.	1	1	1	1	1	1	2 x RUAHOS-3012	2 x RUAHOS-4012	1
Each Chassis Overall Dimensions (W x D x H)	mm	940 x 350 x 560	940 x 350 x 560	940 x 350 x 560	1100 x 444 x 658	1100 x 444 x 1259	1100 x 444 x 1259	1100 x 444 x 1259	1100 x 444 x 1259	1454 x 632 x 947
Each Chassis Dry Weight	kgs	51	61	80	110	125	125	125	125	185
Each Chassis Refrigerant Precharged Qty	kgs	1.2	1.6	2.0	2.5	3.5	4.0	3.5	4.0	Charged During Installation

Note: Specifications are subject to change without prior notice.
Refrigeration capacity is based on standard rate conditions.



For more information, please contact **BLUE STAR LIMITED** • **Ahmedabad:** 2nd Floor, Shivallik-II, Near Shivrangani Cross Road, 132 Feet Ring Road, Satellite, Ahmedabad - 380 015. Tel: (079) 40224000
Bangalore: Ozone Manay Technology Park, SY.No 56/18 & 55/9, Hongasandra Village, Begur Hobli, Garvebhavipalya, Bangalore - 560 068. Tel: (080) 41854000 • **Bhubaneswar:** 3A, Satya Nagar, 2nd Floor, Bhubaneswar - 751 007. Tel: (0674) 2572403/2573670 • **Chandigarh:** Adarsh Mall, 4th Floor, Plot No. 50, Industrial & Business Park, Phase - II, Chandigarh - 160 002. Tel: (0172) 5024000 • **Chennai:** No.104, Old No. 46, 'Garuda buildings', Cathedral Road, Chennai - 600 086. Tel: (044) 42444000 • **Ghaziabad:** C 53A, Third Floor, Rajnagar District Center (RDC), Raj Nagar, Ghaziabad - 201001, Uttar Pradesh. Tel No: (0120) 2821400 • **Goa:** 210, 2nd Floor, Gera's Imperium I, Patto, Panjim, Goa - 403 001. Tel: (0832) 2438171/2437287 • **Gurgaon:** Block 2-A, DLF Corporate Park, DLF Qutab Enclave, Phase III, Mehrauli-Gurgaon Road, Gurgaon - 122 002. Tel: (0124) 4094100 • **Guwahati:** 13, K.C. Patowari Road, Ulubari, Guwahati - 781 007. Tel: (0361) 2468496 • **Indore:** Shri Krishna Classic, First Floor, 139, Phadnis Colony, AB Road, Indore - 542 010. Tel: (0731) 4001211/4001311 • **Jaipur:** A-19, 1st Floor, Main Sahakar Path, Near Sahakar Bhavan, Jaipur - 302 001. Tel: (0141) 2744033-35 • **Kochi:** 2nd Floor, Millennium Plaza, MKK Nair Road, Alinchuvadu Junction, Kochi - 682 024. Tel: (0484) 4499000 • **Kolkata:** 7, Hare Street, Kolkata - 700 001. Tel: (033) 22134100 • **Ludhiana:** SCO 16-17, Feroze Gandhi Market, Fortune Chambers, 3rd Floor, Ludhiana - 141001 (Punjab), Tel: 0161 5001404 • **Lucknow:** 177/4, Faizabad Road, Lucknow - 226 007. Tel: (0522) 4034000 • **Mumbai:** Blue Star House, 9-A, Ghatkopar Link Road, Saki Naka, Mumbai - 400 072. Tel: (022) 66684100 • **Nagpur:** 219, Bajaj Nagar, 1st Floor, South Ambazari Road, Nagpur - 440 010. Tel: (0712) 2249000/6624000 • **Pune:** 201/A, Nityanand Complex, 1st Floor, 247/A, Bund Garden Road, Pune - 411 001. Tel: (020) 41044000/26169332 • **Raipur:** Alaska Corporates, 3rd Floor, Opp. VIP Road, Jivan Vihar Colony, G E Road, Raipur, Chhattisgarh - 492 006. Tel: (0771) 6544000 • **Secunderabad:** 207, Sikh Road, Bantia Estate, Secunderabad - 500 003. Tel: (040) 44004100 • **Thiruvananthapuram:** TC IV/962, 'Chandrika', Sree Chitra Nagar, PipeLine Road, Kawdiar, Thiruvananthapuram - 695 003. Tel: (0471) 2720025/65 • **Vadodara:** Ramakrishna Chambers, 7th Floor, Productivity Road, Alkapuri, Vadodara - 390 007. Tel: (0265) 2330334/6614100
Visakhapatnam: D. No. 49-24-65/1, Near Sankarmattam Road, Madhura Nagar, Visakhapatnam - 530 016. Tel: (0891) 2748405/2748433
email: coolingsolutions@bluestarindia.com • **Visit us at:** www.bluestarindia.com